

COLORS & FINISHES



13

POWDER-COATED FINISHES

Blomberg Powder-Coat finishes at our Sacramento, CA. factory using industry-leading chromate conversion pre-treatment. Factory Finishing improves lead-times and design flexibility for custom orders. Custom Colors are available by request.

ANODIZED FINISHES

Blomberg partners with S.A.F. in Redding, CA. for Anodized Finishes. We recommend 'Batch-Finishing' each project to maintain good color and surface-etching consistency. Custom Anodized finishes are available by request.

- 12 SEMI-GLOSS COLORS
4 MATTE-FINISH COLORS
- CUSTOM COLOR PROCESSING
AVAILABLE

- 2 STANDARD ANODIZED
COLORS
- CUSTOM COLOR PROCESSING
AVAILABLE

COLORS & FINISHES

SEMI-GLOSS POWDER COATED FINISHES



BLACK



BLACK WALNUT



DARK GREY



BRIGHT WHITE



GREEN BLACK



BLUE GREY



WARM GREY



IVORY



RED



GREEN



ORANGE YELLOW



BLUE

MATTE POWDER COATED FINISHES



FLAT BLACK



FLAT BRONZE



FLAT GREY



FLAT WHITE

ANODIZED FINISHES



CLEAR



STATUARY BRONZE

CUSTOM FINISHES

Custom Color Processing is available in both Powder-Coated and Anodized Finishing. There may be limitations in color/gloss combinations due to the finishing process selected and a higher degree of color variation should be expected. Custom Colors may affect lead-time and pricing.

FOR TECHNICAL INFORMATION EMAIL: CONTACT@BLOMBERGWINDOWS.COM

BLOMBERG

FACTORY

1453 BLAIR AVENUE
SACRAMENTO, CA 95822
T. 916 428 8060

SHOWROOM

519 POTRERO AVENUE
SAN FRANCISCO, CA 94110
T. 415 658 7776

BLOMBERGWINDOWS.COM



Architectural Metal Roofing and Siding COLOR CHART




STANDARD COLORS

DURA TECH™ 5000 - Premium 70% Fluoropolymer (PVDF) Paint System



ZINCALUME® PLUS

SRI: 64 • LRV: 67



Cool REGAL WHITE*

SRI: 88 • LRV: 75



Cool PARCHEMENT

SRI: 58 • LRV: 40



Cool SIERRA TAN

SRI: 55 • LRV: 34



Cool PEBBLE

SRI: 48 • LRV: 27




Cool WALNUT

SRI: 38 • LRV: 18




Cool WEATHERED COPPER

SRI: 34 • LRV: 11



Cool DARK BRONZE

SRI: 32 • LRV: 8



Cool TERRA COTTA

SRI: 41 • LRV: 15



Cool COLONIAL RED

SRI: 35 • LRV: 9



Cool OLD TOWN GRAY

SRI: 43 • LRV: 27



Cool ZINC GRAY

SRI: 39 • LRV: 20



Cool SLATE GRAY

SRI: 33 • LRV: 12



Cool MIDNIGHT BRONZE

SRI: 27 • LRV: 7



Cool MATTE BLACK*

SRI: 29 • LRV: 5



Cool TAHOE BLUE

SRI: 33 • LRV: 14



Cool REGAL BLUE

SRI: 29 • LRV: 10



Cool SAGE GREEN

SRI: 41 • LRV: 21



Cool LEAF GREEN

SRI: 30 • LRV: 11



Cool FOREST GREEN

SRI: 29 • LRV: 9



**PRE-PRIMER
(PRE-PRIMED TWO SIDES)**

PREMIUM COLOR¹ (Subject to upcharge)



VINTAGE®1

SRI: 22 • LRV: 20

METALLIC COLORS¹

DURA TECH™ mx
Premium 70% Fluoropolymer (PVDF)
Pearlescent Paint System
(Subject to upcharge)



Cool METALLIC SILVER¹

SRI: 65 • LRV: 50



Cool SILVERSMITH¹

SRI: 58 • LRV: 54



Cool ZACTIQUE® II¹

SRI: 39 • LRV: 22



Cool METALLIC CHAMPAGNE¹

SRI: 54 • LRV: 33



Cool METALLIC COPPER¹

SRI: 53 • LRV: 29

REPRESENTATION OF COLORS MAY VARY DUE TO PRINTING LIMITATIONS.

Sample color chips are available upon request. Consult your AEP Span representative for more information.

DURA TECH™ Fluoropolymer Coatings

TABLE NOTES:

- 24 and 22 GA
- 24 GA only
- 22 GA only

SRI: Solar Reflective Index.

LRV: Light Reflectance Value.

DURA TECH™ 5000 (PVDF)		SRI	LRV	Design Span®	Span-Lok™ hp	Select Seam®	Flex Series	Prestige Series®	Perception Collection®	Flush Panel	HR-36®	Box Rib™	Nu-Wave® Corrugated	PBR Panel	U-Panel	Mini-V-Beam™	Flat Sheet 46"	Flat Sheet 48 3/8"
Cool Regal White*		88	75	●	●	●	□	●	□	●	●	●	●	●	●	●	●	●
Cool Parchment		58	40	●	●	●	□	●	□	●	●	●	●	○	○	○	●	●
Cool Sierra Tan		55	34	●	●	●	□	●	□	●	●	●	●	○	○	○	●	●
Cool Pebble		48	27	●	●	●	□	●	□	●	○	○	○				○	●
Cool Walnut		38	18	●	●	●	□	●	□	●	○	○	○				○	●
Cool Weathered Copper		34	11	●	●	●	□	●	□	●	●	●	●	○	○	○	●	●
Cool Dark Bronze		32	8	●	●	●	□	●	□	●	●	●	●	○	○	○	●	●
Cool Terra-Cotta		41	15	●	●	●	□	●	□	●	●	●	●	○	○	○	●	●
Cool Colonial Red		35	9	●	●	●	□	●	□	●	○	○	○	○	○	○	○	●
Cool Old Town Gray		43	27	●	●	●	□	●	□	●	●	●	●	○	○	○	●	●
Cool Zinc Gray		39	20	●	●	●	□	●	□	●	●	●	●	○	○	○	●	●
Cool Slate Gray		33	12	●	●	●	□	●	□	●	●	●	●	○	○	○	●	●
Cool Midnight Bronze		27	7	●	●	●	□	●	□	●	●	●	●				●	●
Cool Matte Black*		29	5	●	●	●	□	●	□	●	●	●	●	○	○	○	●	●
Cool Tahoe Blue		33	14	●	●	●	□	●	□	●	●	●	●	○	○	○	●	●
Cool Regal Blue		29	10	●	●	●	□	●	□	●	●	●	●	○	○	○	●	●
Cool Sage Green		41	21	●	●	●	□	●	□	●	●	●	●				●	●
Cool Leaf Green		30	11	●	●	●	□	●	□	●	●	●	●	○	○	○	●	●
Cool Forest Green		29	9	●	●	●	□	●	□	●	●	●	●	○	○	○	●	●
DURA TECH™ mx (PVDF) ¹																		
Cool Metallic Silver		65	50	●	●	●	□	●	□	●	●	●	●	○	○	○	●	●
Cool Silversmith		58	54	●	●	●	□	●	□	●	○	○	○				○	●
Cool ZACTique® II		39	22	●	●	●	□	●	□	●	●	●	●	○	○	○	●	●
Cool Metallic Champagne		54	33	●	●	●	□	●	□	●	●	●	●	○	○	○	●	●
Cool Metallic Copper		53	29	●	●	●	□	●	□	●	○	○	○				○	●
PREMIUM COLOR ¹																		
Vintage®		22	20	○	○	○	○	○	○	○	○	○	○				○	○
BARE (Clear Acrylic Coated)																		
ZINCALUME® Plus		64	67	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PRE-PRIMER																		
Pre-Primed Two Sides		N/A	N/A														○	

PAINT SYSTEM	SMP	PVDF
OVERALL	Better	Best
PRICE POINT	Moderate	Higher
WARRANTY	Long	Longest
DURABILITY	Improved Weatherability	Highest Weatherability
APPLICATION	Residential & Commercial	High-end, Architectural/Commercial
OTHER ATTRIBUTES	Wide range of colors & gloss options	Excellent chalk & fade resistance

DURA TECH™ 5000: A premium 70% Fluoropolymer (PVDF) paint system.

DURA TECH™ mx: A premium Fluoropolymer (PVDF) Pearlescent paint system.

VINTAGE® COATED METAL: TruZinc® G90 substrate with a FEVE paint system and graffiti-resistant qualities.

*** AVAILABLE IN ALUMINUM .040" ONLY:** Stocked in Matte Black and Regal White, and is available in 48" x 10' flat sheet.

Material is painted on both sides. One side is Matte Black and the other is Regal White.

¹ BATCH SENSITIVITY: Prints and metallic paint systems are batch sensitive (may have color variation) and are directional in nature. Different batches are not to be mixed on projects. AEP Span recommends requesting a sample before ordering to ensure color accuracy. AEP Span is not responsible for color variations.

OIL CANNING: All flat metal surfaces can display waviness commonly referred to as "oil canning". Oil canning is an inherent characteristic of metal products, not a defect, and therefore is not a cause for panel rejection.

SRI values in accordance with ASTM E1980 and are based on independent testing. Cool Roof Rating Council (CRRC) performance values for CA Title 24 are based on color families and will differ from those listed in table.

REPRESENTATION OF COLORS MAY VARY DUE TO PRINTING LIMITATIONS
Sample color chips are available upon request. Consult your AEP Span representative for more information.

SPECIALTY PRINTS, ALUMINUM, CUSTOM COLORS, AND OTHER GAUGES AVAILABLE AS SPECIAL ORDERS
Inquire with your outside sales representative about lead times and minimum order requirements.

Cool DURA TECH™ 5000

Cool DURA TECH™ mx

FINISHES DEVELOPED BY
 steelscape

CRRC
COOL ROOF RATING COUNCIL
MEMBER

Red List Free

ZINCALUME® Plus

HOW TO INSTALL EXTERIOR SLAT WALL PANELING

Installation

Easy installation as you can see in the video above using basic power tools, and screws. The type of screws depend on the mounting surface. The small channels are designed to hide the screws for a seamless, screw-free premium finish. These can be mounted directly onto a wall or with wood or aluminum furring strips or batons.



Water-proof Material Long Life Span Termite Resistance Impact Resistance Environmentally Friendly Scratch Resistance Color Never Fades Low Maintenance Mold Resistance



10 Year Manufacture Warranty

- Long Life Span
- No Discoloration
- No Mildew or Mold
- Weather Resistant
- Scratch Resistant
- Impact Resistant
- Termite Resistant

10 YEAR LIMITED WARRANTY

Colors:

-  **TEAK**
-  **DARK BROWN**
-  **LIGHT GRAY**
-  **BLACK**

HEAVY-DUTY COMPOSITE EXTERIOR PANELS

Durable

Composite changed the way wall panels are built. For decades, wood was the material of choice for outdoor living spaces, but with consumers demanding easy maintenance and luxury looks, composites have grown in popularity. Slat Solution's composite slat paneling is sustainably made from 95% recycled materials, including reclaimed wood and polyethylene film. Slat Solution exterior panels doesn't splinter, rot or decay like pressure-treated lumber, and never needs sanding, staining or painting. With budget options comparable with pressure-treated wood, it raises the question – why “wood” you use anything else?






EXTERIOR

Technical Info.

Exterior composite slat wall panels feature a simple tongue and groove assembly. This system has a hidden screw design for a seamless finish, with no visible screws. Slat Solution's exterior panels have been tested to the stringent requirements of the United States and Florida building codes including Florida Product Approvals allowing use throughout the state including High Velocity Hurricane Zone (HVHZ).



SPECIFICATIONS

Box Contains	2 Panels
Square ft./Box	12.6
Panel Size	8.5" Wide x 106" Long
Panel Thickness	1.1"
Slat Size	Width: 1.5", Depth: 0.5", Spacing: 0.5"
Material	Wood Polymer Composite
Application	Exterior
Installation Type	Scew Down

COMMERCIAL & RESIDENTIAL

Application

Slat panels for outdoors are versatile and can be installed horizontally, vertically and cut to any shape. Furthermore, outdoor slat panels can be incorporated into various architectural styles, from modern and minimalist to traditional and rustic. They can also be combined with other building materials to achieve a desired aesthetic. For commercial, retail, hospitality, and residential applications.



HERITAGE SERIES | WHITE LIMESTONE



WHITE LIMESTONE

Uniformly white and blocky limestone, this blend's clean and sophisticated look works with any contemporary style. Sawn edges on two sides make this pattern perfect for a drystack application.

Stone Type:	Limestone
Corners Available:	Yes
Full Veneer Available:	Yes

REQUEST A QUOTE



TELLURIDE STONE COMPANY

ENHANCE YOUR PROJECT


WITH THESE ITEMS




SILLS & CAPS



MANTELS & HEARTHES



FLAGSTONE & PAVERS



RECLAIMED BEAMS



Follow Us
f 📷 📱 🏠

Contact

Phone
303.388.8863

Email
Heidi@TellurideStone.com
lasmine@TellurideStone.co

Hours

Monday – Friday

8:00am – 5:00pm

Saturday – Sunday
Closed

Collection

- Telluride
- Heritage
- Contemporary
- Limestone

Quick menu

- Home
- About Us
- Tech Data

EMAIL US

CALL US

DIRECTIONS

[Home](#)[About Us](#)[Quarries](#)[Facilities](#)[Procedure](#)[Contact Us](#)

Material

- > Granite
- > Marble
- > Sandstone
- > Limestone
- > Basalt
- > China Travertine
- > Lava Stone
- > Porfido Porphyry
- > Tuff Stone

Interior / Exterior

- > Natural Stone Tile
- > Stair Step / Tread
- > Flooring / Walling
- > Kitchen / Bathroom
- > Wash sink / Tray
- > Stone Mosaic
- > Cobble Stone
- > Kerbstone / Palisade
- > Garden Decoration
- > Pebble Stone
- > Stone Trough
- > Mill Stone / Ancient Stone
- > Art Sculpture
- > Natural River Stone
- > Stone Pool Coping
- > Marble Medallion
- > Glass Rock
- > Granite Fire Pit Table

Slate / Quartz

- > Slate Wall Panel
- > Flooring Tile
- > Slate Crazy Mesh
- > Flagstone Paving
- > Slate Mosaic
- > Gate Post & Flower Vase
- > Roof Slate Tile
- > Stacked Stone
- > Stone and Masonry

Bluestone Series

- > Tile & Slab
- > Garden Stone
- > Construction stone
- > Stone Flower Pot
- > Black limestone
- > Pool Edge / Coping
- > Bluestone Mailbox

Stone Tools

- > Accessories

Your location : [Home](#) >> [Basalt](#)

Basalt with grey or black color is another kind of popular construction material, it have several advantages in function than other stone material, it is very hard, insulation, sound absorption, lowest water absorption. Therefore lot of people from Europe countries adopt it used for outdoor flooring tile, palisade, curbstone, swimming pool edge and other garden construction.

China Basalt Series.

- > Black Pearl Basalt
- > Nergo Black Basalt
- > Grey Basalt
- > Basalt Column



Grey Basalt

[more](#)

