

# SAN MATEO COUNTY DEPARTMENT

OF

PUBLIC WORKS

DRAWN BY: D.P.

CHECK BY: J.A.L.


APPROVED BY: N.R.C.

SCALE: NONE

DATE: 6/95


REVISED: 4/97

REDWOOD CITY  
CALIFORNIA




## SECTION

DRIVEWAY



## PLAN



## ELEVATION

### NOTE:

WHERE POSSIBLE, 22 FT. DISTANCES OR MULTIPLES OF 22 FT. DISTANCES SHOULD BE OBTAINED BETWEEN CURB OPENINGS. CONSTRUCT MONOLITHIC CURB, GUTTER, DRIVEWAY AND APRON. WHERE DRIVEWAYS OF SEPARATE RESIDENTIAL DWELLINGS ARE CONSTRUCTED ADJACENT TO ONE ANOTHER, DOUBLE THE DIMENSIONS SHOWN ABOVE. USE NO. 4 REINFORCING BAR DOWELS AS SHOWN ON STANDARD CURB, GUTTER AND SIDEWALK DETAIL.

# STANDARD STRUCTURES DRIVEWAY WIDTHS AND CURB OPENINGS FOR SINGLE FAMILY RESIDENTIAL DWELLINGS