

MUNICIPAL SERVICE REVIEW UPDATES

City of East Palo Alto
East Palo Alto Sanitary District
West Bay Sanitary District



San Mateo LAFCo Workshop April 6, 2022


INTRODUCTION



- Spheres of Influence (SOIs)
- Municipal Services Reviews (MSRs)
- Approach and Methodology
 - Compile/evaluate agency information
 - Agencies review preliminary chapters
 - Admin. draft report revised
 - Public distribution and review

City of East Palo Alto






City of East Palo Alto



- Past growth static, but pending development supports GP growth
- Lack of sewer capacity impedes new projects
- Efforts to resolve this issue largely unsuccessful
- EPASD as a subsidiary district could better align public services & land use planning
- City could contract with WBSD for sewer operations

East Palo Alto Sanitary District





East Palo Alto Sanitary District



- EPASD's sewer rates are among the lowest in County
- The Master Plan 2021 Addendum predicts sewer overflows for current ratepayers (existing conditions)
- The Addendum identifies pipeline expansion to address potential overflows from existing and new development
- The Addendum's Capital Improvement Program does not identify priorities, timing, or funding sources to equitably allocate improvement costs

East Palo Alto Sanitary District cont'd



EPASD Proposed Capital Improvement Program Costs

Item	TOTAL
Collection System	
Existing Capacity Deficiencies	\$23,877,600
Capacity for New Development (exc. trunk line)	8,769,600
Other CIP Improvements	<u>2,508,900</u>
Subtotal	\$35,156,100
<u>Trunk Line</u>	
Trunk Line Upgrade Inclu	ded in Collection System
Total, Collection System & Trunk Line	\$35,156,100
<u>Treatment Plant</u>	
Capacity for New Development	\$5,000,000
TOTAL	\$40,156,100
Ongoing Annual Repair/Replacement	\$500,000 - \$1 mill.

East Palo Alto Sanitary District cont'd



- Funding options can assure that existing ratepayers do not pay for new development
- Improvements to serve existing ratepayers can facilitate future planned growth
- Funding may include debt, capacity charges, fund balances & rate revenues, & developer funding
- EPASD needs an updated, effective Master Plan to identify improvements, priorities, costs & funding


East Palo Alto Sanitary District cont'd



- Lack of sewer capacity prevents EPASD from serving new development in City's Master Plan
- Stalled development adversely affects City residents, e.g.,
 - Lower public tax revenues & charges to fund services
 - Fewer affordable housing opportunities and commercial development planned by the City
 - Less economic development and jobs

West Bay Sanitary District





West Bay Sanitary District

Population:

55,701

Area:

13.5 sq.mi.

West Bay Sanitary District



- WBSD operates with a high level of transparency and accountability
- The District has experienced high levels of infiltration & inflow which it is addressing
- Its Master Plan is outdated and requires an update which is underway
- WBSD could manage sewer services if EPASD were dissolved – through contract to the City or by annexation

Governance Options



- LAFCo designated an EPASD "dissolution" (zero) sphere of influence when the City formed
- Governance options could align sewer services with other community needs & municipal functions
- The City could govern as the board of a subsidiary district (possible contract with WBSD)
- Another option: EPASD dissolution and alignment of service areas with Menlo Park & East Palo Alto
 - Requires multiple contractual arrangements for treatment

NEXT STEPS



Following this workshop

- Public review and comment on draft MSRs (until May 5)
- LAFCo Hearing April 20th for presentation, feedback
- Revisions to the draft MSRs
- LAFCo Hearing June 15th for adoption of final report
- Reorganization (subsidiary district) could be initiated by LAFCo, application by a public agency, or by resident petition

QUESTIONS?



• For more information or to submit comments to LAFCO, please email:

RBartoli@smcgov.org