Highlands Estates Subdivision Project

Conditions of Approval Environmental Compliance Matrix

Report Period: March 1, 2021 to March 31, 2021

Reporter Name: Kristen Outten, SWCA Environmental Consultants

Acronyms

- C Complete
- NC Not Complete
- O Ongoing
- A Acceptable

GA - Generally Acceptable (Entered if the activities were generally acceptable for the reporting period with the exception of Non-Compliance Notices as noted in U - Unacceptable (Entered if all the activities related to this mitigation activity were unacceptable for the reporting period (e.g., Non-Compliance Notices only or WMR - Weekly Monitoring Report

				WIVIR -	weekiy	/ ivionito	oring Rep	port					
					Phase I	ı		Pha	se II		Completion Status		ion Status n, 2021
COA#	Condition of Approval	Monitoring Authority	Monitoring Schedule	Lot 9	Lot 10	Lot 11	Lot 5	Lot 6	Lot 7	Lot 8	Completion Status (C/NC/O) (if complete, enter date & color block)	Compliance Level (NC, A, GA, U)/Supporting Document (WMR) or Notes	Non-Compliance and Non- Compliance Resolution Report
1		,	Confirm and document during building permit review	х	х	х	х	х	х	х	NC	NC	
2	, , , , , , , , , , , , , , , , , , , ,	and Building Department	Confirm and document two years from issuance of building permit	х	х	х	х	х	х	x	0	NC	
3	The Final Map shall be recorded pursuant to the plans approved by the Board of Supervisors; any deviation from the approved plans shall be reviewed and approved by the Community Development Director. Revisions or modifications not in compliance with parcel size and configuration as approved by the Board of Supervisors and applicable conditions of approval (including but not limited to) Condition Nos. 8, 9 and 11 shall be deemed a major modification and shall be subject to review and approval by the Planning Commission at a public hearing.	,	Confirm and document upon acceptance of the Final Map	х	х	х	х	х	х	х	O	А	
4	,	and Building Department; SWCA Environmental	Confirm and document prior to issuance of building permig; during construction	x	x	x	x	x	x	x	0	A	
5	This project will be implemented as proposed, mitigated, conditioned, and approved by the Board of Supervisors, regarding parcel size and configuration, home sizes, home locations, architectural design, style and color, materials, height and foundation design. Prior to the issuance of a Certificate of Occupancy for any residence, the applicant shall provide photographs to the Current Planning Section staff to demonstrate utilization of the approved colors and materials. Materials and colors shall not be highly reflective.	and Building Department; SWCA Environmental	Confirm and document prior to issuing Certification of Occupancy	х	х	х	х	х	х	X	0	A	

6		and Building Department; SWCA Environmental Consultants	Confirm and document prior to issuance of building permit and prior to issuance of Certification of Occupancy	x	x	x	x	X	x	x	NC	NC	
	reduce the massing of the structure, specifically architectural articulation to break up the vertical facade, color variation, and brick or stone treatment for retaining walls supporting the residences.												
7	limited to the grading and staging limits presented in the approved Clearing, Construction, and Grading Limits Plan. The property owner shall maintain non-		Confirm and document prior to issuance of grading permit; During construction	x	x	x	x	X	x	x	O	A - Lots 9 and 10 have silt fencing (and some orange snow fencing) in place to mark limits of grading. Lot 11 has fencing in place NC - Lots 5, 6, 7, 8	
8	Development Restriction Over Lot 8: Only a portion of Lot 8 is developable. The rest of the parcel (shown as hatched on Attachment L) is in a "No-Build Zone." The "No-Build Zone" shall be shown on the Final Map for the subdivision. All setbacks shall be measured from the limits of the buildable portion of the parcel (i.e., excluding any "No-Build" areas on the Final Map). For the purpose of calculating the Maximum Building Site Coverage Ratio of 40%, the Building Site Area shall exclude any "No-Build" areas as shown on the Final Map for the subject property.	and Building Department	Confirm and document upon acceptance of the Final Map							х	NC	NC	
9	Development Restriction Over Lot 11: All areas of Lot 11 are developable as allowed by the County Zoning Regulations, with the exception of a "No-Build Zone" on the right side of the parcel, as illustrated in the approved Clearing, Construction, and Grading Limits Plan. The "No-Build Zone" shall be shown on the Final Map for the subdivision. All setbacks shall be measured from the limits of the buildable portion of the parcel (i.e., excluding any "No-Build" areas on the Final Map). For the purpose of calculating the Maximum Building Site Coverage Ratio of 40%, the Building Site Area shall exclude any "No-Build" areas as shown on the Final Map for the subject property.	,	Confirm and document upon acceptance of the Final Map			х					NC	NC	
10	Storm Drainage Plan: Project implementation shall comply with the approved Storm Drainage Plan.	DPW	Confirm and document prior to issuance of building permit	х	х	х	х	х	х	х	С	GA - Storm Drainage Plan on Civil drawings	
12	The Final Map will include a note stating that "any development of the project parcels must comply with the conditions of approval, as approved by the Board of Supervisors on April 27, 2010."	,	Confirm and document upon acceptance of the Final Map	х	х	х	Х	х	х	Х	NC	NC	
13	Per CEQA Section 15095, the applicant shall provide a copy of the final certified Final	County of San Mateo Planning and Building Department	Cofirm and document upon submittal of the final approval of this project	Х	х	х	Х	Х	Х	Х	С	A- Confirm with C. Leung the date of completion (DATE XX)	

14	The applicant shall coordinate with the project planner to record the Notice of Completion and pay an environmental filing fee of \$2,792.25 (or current fee), as required under Fish and Game Code Section 711.4(d), plus a \$50 recording fee to the San Mateo County within four (4) working days of the final approval date of this project.	County of San Mateo Planning and Building Department	Confirm and document upon submittal of the NOC	Х	х	х	x	х	х	х	С	A- Confirm with C. Leung the date of completion (DATE XX)	
17	improvements and one for each of the eleven homes. "Hard cards" shall be issued according to the following schedule:	• • •	Confirm and document upon issuance of the grading permit	X	x	х	x	x	X	X	C - Lots 9 and 10 NC - Lots 11, 5, 6, 7, 8	A	
19	Department of Public Works and the Current Planning Section. Per the mitigation measures in the MMRP, tree removals and grading shall proceed as specified:	County of San Mateo Planning and Building Department; SWCA Environmental Consultants	Confirm and document prior to issuance of the grading permit and tree removal	X	x	X	X	x	x	X	C - Lots 9 and 10 NC - Lots 11, 5, 6, 7, 8	A	
20	potential soil erosion unless approved, in writing, by the Community Development	and Building Department; SWCA Environmental	Confirm and document upon issuance of exception to grading moratorium	х	х	х	×	х	x	Х	C - Lots 9 and 10 NC - Lots 11, 5, 6, 7, 9	A - Winter grading exemption was approved for Lots 9 and 10 on 10/1/19	

21	Supervisors. Such activity would require application for and issuance of a separate	SWCA Environmental	Confirm and document prior to issuance of the grading permit and tree removal; During construction	X	X	X	X	X	X	X	O	A - orange snow fencing is in place around tree drip lines at lots 9 and 10 A - orange snow fencing and chainlink fencing was installed at Lot 11 NC - no fencing has been installed at lots 5, 6, 7, and 8	Inspection on 2/18/20 noted that orange fence needed repair. Orange fencing was repaired on 3/19/2020
22	erosion control inspection by Current Planning Section staff to demonstrate that the approved erosion control plan has been implemented. The applicant is responsible for	and Building Department; SWCA Environmental Consultants	Confirm and document prior to issuance of grading permit; During construction	X	X	X	x	X	x	x	0	GA - Erosion Control Plan on Civil drawings	11/18/19 and 11/25/19 - SWCA environmental monitor noted that silt fence was not keyed in per the SWPPP and CASQA requirements.
23	during grading and construction, it is the responsibility of the civil engineer and/or construction manager to implement the Best Management Practices (BMPs) that are		Confirm and document prior to issuance of grading permit; During construction	X	x	x	x	х	Х	X	O	GA - Erosion Control Plan on Civil drawings	12/2/19, 12/13/19 and 12/19/19 - SWCA environmental monitor noted that silt fence was not keyed in per the SWPPP and CASQA requirements.

24	schedule of grading operations, subject to review and approval by the Department of Public Works and the Current Planning Section. The submitted schedule shall include a	• .	Confirm and document prior to issuance of grading permit; During construction	X	x	X	х	X	х	X	C - Lots 9 and 10 NC - Lots 11, 5, 6, 7, 8	A - confirm with C. Leung. 9/5/18 email to the applicant indicates that information regarding imported and exported materials was requested.	
25	to obtain coverage under the State General Construction Activity NPDES Permit. A copy	SWCA Environmental	Confirm and document prior to issuance of grading permit	х	х	х	х	х	х	х	С	A - NOI submitted on 5/02/2017; COI submitted on 10/30/2019	
26	construction activities:	County of San Mateo Planning and Building Department; SWCA Environmental Consultants	Confirm and document during construction and upon completion of construction	x	x	x	х	x	x	x	NC	NC	
27	and adjacent to this site. Per San Mateo County Ordinance Code Section 8605.5, all equipment used in grading operations shall meet spark arrester and fire-fighting tool	County of San Mateo Planning and Building Department; SWCA Environmental Consultants	Confirm and document during grading and construction	х	х	х	х	х	х	х	0	А	
28	are implemented:	and Building Department; SWCA Environmental Consultants	Confirm and document throughout the duration of construction	x	x	x	X	х	X	X	O	A	

	Final approval of all Grading Permits is required. For final approval of the Grading	County of San Mateo Planning	Confirm and document prior									
	Permits, the applicant shall ensure the performance of the following activities within	and Building Department;	to written certification that									
	thirty (30) days of the completion of grading at the project site:	SWCA Environmental	all grading has been									
		Consultants	completed conformance with									
	a. The engineer shall submit written certification that all grading has been completed in		project permits and									
	conformance with the approved plans, conditions of approval/ mitigation measures,		conditions									
	and the Grading Regulations, to the Department of Public Works and the Planning and											
29	Building Department's Geotechnica/ Section.			X	X	X	Х	Х	Х	Χ	NC	NC
	b. The geotechnica/ consultant shall observe and approve all applicable work during											
	construction and sign Section II of the Geotechnica/ Consultant Approval form, for											
	submittal to the Planning and Building Department's Geotechnica/ Engineer and											
	Current Planning Section.											
	The color and materials of the bio-retention planters for all homes shall match the	County of San Mateo Planning	Confirm and document									
			during construction and upon									
30		SWCA Environmental	completion of construction	X	X	Х	Х	Х	Х	Х	NC	NC
		Consultants										
			Confirm and document prior									
1	· · ·		to issuance of building permit									
31		SWCA Environmental	to issuance or bunding permit	X	Х	X	Х	Х	Х	Х	NC	NC
	1	Consultants										
		County of San Mateo Planning	During the discovery of									
		and Building Department;	human remains, if any									
		SWCA Environmental	,									
	, ,	Consultants										
32	immediately and the County coroner shall be notified immediately. If the coroner			l x	l x	l x	X	x	х	Χ	О	A
32	determines the remains to be Native American, the Native American Heritage			^	^	^	^			^	, and the second	
	Commission shall be contacted within 24 hours. A qualified archaeologist, in											
	consultation with the Native American Heritage Commission, shall recommend											
	subsequent measures for disposition of the remains.											
	' '	County of San Mateo Planning	Confirm and document prior									
	governed special districts that will provide utility or other service. The project applicant	,	to issuance of grading permit									
33	is responsible for application and fees to the San Mateo Local Agency Formation	and building Department	lto issuance of grading permit	Х	Х	Х	Х	Х	Х	X	NC	NC
	Commission.											
		County of San Mateo Planning	Confirm and document prior	-		-						
		,	to issuance of building permit									
	{Development Standards) and Section 6319C.2.G (Minimization of Grading). All		and upon acceptance of Final									
	setbacks shall be measured from the limits of the buildable portion of the parcel (i.e.,		Map									
34	excluding any "No-Build" areas on the Final Map). For the purpose of calculating the		liviap			l ,		_v	Х	_	NC (completed for Lot 9, 10, 11)	A
54	Maximum Building Site Coverage Ratio of 40%, the Building Site Area shall exclude any					^	^	_ ^	^	^		
	"No-Build" areas as shown on the Final Map for the subject property. The above											
	statement shall be added as a deed restriction to the respective lots when the lots are											
	sold. The grading for this project will require submission of a revised geotechnical report	County of San Mateo Planning	Confirm and document prior									
35		,	to issuance of grading permit	_v	X	l ,	v	X	v	v	NC (completed for Lots 9-11)	Λ
33	design and construction.	and building Department	lto issuance of grading permit	^	^	^	_ ^	_ ^	^	^	Ne (completed for Lots 3-11)	
	Building permit applications for Lots 7 and 8 will be required to depict as-built subdrain	County of San Mateo Planning	Confirm and document prior	 		 						
			to issuance of building permit									
36	plans. The intent is to adjust foundation pier layout (as needed) so that installed	and building Departification	to issuance of building pertilit						Х	Χ	NC	NC
	subdrain systems are not damaged by foundation construction.											
		County of San Mateo Planning	Confirm and document prior									
		,	to issuance of building									
37		0 1	permit; During construction		X						0	Α
		Consultants	permit, burnig construction									
	· ·		Confirm and document prior		1		+					
	1		to issuance of building permit									A - Geotechnical review approved
38		and Building Department	to issuance of building permit	Х	Х	Х	Х	х	Х	Χ	NC (completed for Lots 9-11)	on 11/12/19 per CML notes in
	locations and verify that proposed drainage designs are acceptable from a slope											permit summary report
	stability/erosion perspective or recommend appropriate modifications.											

39	require supplemental geotechnical evaluation. Lot 11: Future building construction	County of San Mateo Planning and Building Department; SWCA Environmental Consultants	Confirm and document prior to the isssuance of a Certification of Occupancy	х	х	х					NC	NC	
40	those boundaries depicted on Lot 11 Exhibit 1 prepared by BKF dated January 27, 2010. These boundaries shall supersede any conflicting boundaries presented on other	0	Confirm and document during construction			х					0	A - the limits of grading have been delineated with silt fence and chainlink fence as of 6/22/2020	Silt fence and chainlink fence required repair 8/19/2020.
41		County of San Mateo Planning and Building Department	Confirm and document prior to the start of construction	Х	Х	Х	х	х	Х	Х	NC	NC	
42		County of San Mateo Planning and Building Department	Confirm and document prior to issuance of building permit	х	х	х	х	х	х	х	NC	NC	
43	Per Section 1404 of the Green Building Ordinance, the applicant is encouraged to incorporate green building features in the construction of the eleven homes, such that the project achieves 75 points or higher or LEED for Homes Certified. Such projects will receive expedited building permit processing.	County of San Mateo Planning and Building Department	Confirm and document prior to issuance of building permit	х	х	х	х	х	х	Х	NC	NC	
44	·	County of San Mateo Planning and Building Department	Confirm and document prior to relocation of PG&E facilities	х	х	х	х	х	Х	x	NC	NC	
45	The applicant shall install a sidewalk along the front of Lots 5 through 8 on Ticonderoga Drive, subject to review and approval by the Department of Public Works (DPW) and the issuance of an encroachment permit by DPW.	DPW	Confirm and document prior to issuance of encorachemnt permit				х	х	х	Х	NC	NC	
46		County of San Mateo Planning and Building Department; SWCA Environmental Consultants	Confirm and document prior to recordation of Final Map	X	x	х	Х	х	х	х	NC	NC	
47	with the County's Drainage Policy (including stormwater detention requirements) and applicable NPDES requirements (particularly Provision C.3) for review and approval by	County of San Mateo Planning and Building Department; SWCA Environmental Consultants	Confirm and document prior to issuance of building permit	х	х	х	х	x	х	х	NC	NC	
48	1 ''	County of San Mateo Planning and Building Department	Confirm and document upon submittal of Final Map	х	х	х	х	Х	х	X	NC	NC	

	Prior to recordation of the Final Map, the subdivider shall either construct all improve	County of San Mateo Planning	Confirm and document prior										
		,	to recordation of Final Map										
	for future construction of the improvements. Prior to recording the Final Map, the	and banding bepartment	to recordation or rinar map										
	,												
	applicant will be required to submit to the Department of Public Works a complete set												
	of improvement plans including all provisions for roadways, driveways, utilities, storm												
	drainage, and stormwater treatment, all in accordance with the County Subdivision												
	Regulations, County Standard Details, County Drainage Policy and NPDES Permit, plus												
	applicable plan review fee.												
49	Upon the Department of Public Works' approval of the improvement plans, the			Х	Х	Х	Х	Х	Х	Х	NC	NC	
	applicant may be required to execute a Subdivision Improvement Agreement and post												
	securities with the Department of Public Works, if applicable, as follows:												
	a. Faithful Performance - 100% on the estimated cost of constructing the .												
	improvements;												
	b. Labor and Materials - 50% of the estimated cost of constructing the improvements.												
	The access easement on Lot 8 shall meet the access requirements of the Crystal	County of San Mateo Planning	Confirm and document prior										
50	· · · · · · · · · · · · · · · · · · ·	,	to recordation of Final Map							х	NC	NC	
	Department of Public Works.												
	'	County of San Mateo Planning	Confirm and document prior										
		,	to recordation of Final Map										
F.1	Mateo County Fire Department and Department of Public Works approval.		lo recordation of Final Map						V	V	NC	NC	
51		SWCA Environmental							Χ	X	NC	NC	
		Consultants; Fire Authority;											
		DPW											
		,	Confirm and document prior										
	responsibilities of any private drainage, stormwater treatment or other common	and Building Department;	to issuance of Certification of										
	facilities which may be constructed. For example, documents would address	SWCA Environmental	Occupancy										
	maintenance of all shared access easements (i.e., Lots 5 through 8, and Lots 9 and 10),	Consultants; DPR											
52	as well as shared maintenance of the bio-retention planter on Lot 8 (for the benefit of	,		x	x		x	х	х	x	NC	NC	
02	Lots 7 and 8) and the storm drainage outfall on Lot 9 (for the benefit of Lots 9 and 10).						_ ^	^	^				
	Prior to recording these documents, they shall be submitted to the Department of												
	Public Works for review and prior to the issuance of a Certificate of Occupancy for the												
	applicable parcel (Lots 5 through 10).												
		,	Confirm and document upon										
53	signed by the subdivider's engineer upon completion of all work. The "As-Built" plans	and Building Department;	submittal of theAs-Built	Х	Х	Х	Х	Х	Х	Х	NC	NC	
33	shall be accompanied by a written certification from the engineer that all private	SWCA Environmental	plans.	^	^	^	^	^	^	^	IVC	INC	
	facilities have been completed in conformance with the approved plans.	Consultants											
		County of San Mateo Planning	Confirm and document prior										
		,	to issuance of building										
54			permit.	Х	Х	Х	Х	Х	Х	Х	NC	NC	
]		Consultants; DPW	permit.	_ ^	_ ^	^	^	^	Λ.	^	IVC	IVC	
		Consultants, DPW											
	County Sewer District.	County of Con Marks - Discost	Confines and decreases										
	1 ''	County of San Mateo Planning											
55	Department, written certification from the appropriate Water District stating that their		to issuance of building	х	х	Χ	x	х	Χ	х	NC	NC	
		DPW	permit.		'			.					
	subdivision have been met.												
	Any potable water system work required by the appropriate district within the County	DPW	Confirm and document prior										
	right-of-way shall not be commenced until County requirements for the issuance of an		to issuance of encroachment	,		,,	,,		V	.,	NO	NO	
56	encroachment permit have been met. Plans for such work shall be reviewed by the		permit.	×	Х	Х	Х	Х	Χ	Х	NC	NC	
	Department of Public Works prior to the issuance of the permit.		[
	No proposed construction work within the County right-of-way shall begin until County	DPW	Confirm and document prior										
57	requirements for the issuance of an encroachment permit, including review of the		to issuance of encroachment	~	,	v	X	х	v	х	NC	NC	
] 3/	'			^	Х	Х	^	^	Х	_ ^	INC	NC	
	plans, have been met and an encroachment permit issued.	5534	permit.				\vdash						
	, 01 , 11	DPW	Confirm and document upon										
58	payment of "roadway mitigation fees" based on the square footage (assessable space)		payment of roadway	Х	Х	Х	Х	Х	Х	Х	NC	NC	
1	of the proposed building per Ordinance No. 3277.		mitigation fees										

	·			-						-		,
	The applicant shall submit a driveway "Plan and Profile" to the Department of Public DPW		Confirm and document upon									
	Works, showing the driveway access to the parcel (garage slab) complying with County	SI	ubmittal of a drivewat Plan									
	standards for driveway slopes (not to exceed 20 percent) and to County standards for	a	ind Profile									
59	driveways (at the property line) being the same elevation as the center of the access			x	v l	х	x	х	х	Х	NC	NC NC
39	roadway. When appropriate, this plan and profile shall be prepared from elevations			^	^	^	^	^	^	^	INC	
	and alignment shown on the roadway improvement plans. The driveway plan shall also											
	include and show specific provisions and details for both the existing and the proposed											
	drainage patterns and drainage facilities.											
	Plans, with specific construction details, shall be stamped and signed by the registered DPW	v c	Confirm and document prior									A Confirm with C Loung the date
60	civil engineer and submitted to the Department of Public Works for review and	to	o issuance of building permit	Х	Х	Х	х	Х	Х	Х	С	A- Confirm with C. Leung the date of completion (DATE XX)
	approval prior to construction.											of completion (DATE XX)
	The required fire flow shall be available from a County Standard 6" Wet Barrel Fire Fire A	Authority C	Confirm and document upon									
63	Hydrant; the configuration of the hydrant shall have a minimum of one each 4 1/2"	ļir	nstallation of the 6" Wet		, I	х		, l	v l		NC	N.C.
62	outlet and one each 2 1/2" outlet located not more than 250 feet from the building,	В	Barrel Fire Hydrant	Х	Х	X	Х	Х	Х	Х	NC	NC NC
	measured by way of approved drivable access to the project site.											
	All new public water systems, extensions from a public water system or replacement of Fire A	Authority C	Confirm and document upon									
	any main or line of an existing public water system shall have a minimum diameter of	re	eplacment or installation of									
63	six inches (6"). If the pipes are not linked in grid or if individual legs are over 600 feet in	a	new public water systems	х	х	Х	х	Х	Х	Χ	NC	NC
	length, then the minimum diameter shall be eight inches (8").											
	When receiving water service for fire protection (hydrants, fire sprinkler systems) from Fire A	Authority C	Confirm and document prior									
	a public or municipal water purveyor, written certification from the water company	·	o receiving water service for									
	that hydrants will be installed or that the existing water system is capable of meeting		ire protection from a public									
64	the project conditions is required to be presented to the San Mateo County Fire		or municipal water purveyor	х	х	Χ	х	Х	Х	Х	NC	NC
	Department for verification to show that required upgrades to the system will be		. ,									
	installed and that existing fire flows will meet the project requirements.											
	County Fire Department access shall be to within 150 feet of all exterior portions of Fire A	Authority C	Confirm and document prior									
	structures and to all portions of the exterior walls of the first story of buildings, as	to	o issuance of bulding permit									
	measured by an approved access route. Should access to a structure exceed the 150											
65	feet criteria, the applicant may have the option of providing exterior fire resistant			х	х	Х	х	х	Х	Χ	NC	NC
	construction materials to meet this condition, subject to review and approval by the											
	County Fire Department and Planning and Building Department, prior to the issuance											
	of a building permit.											
		Authority C	Confirm and document prior									
	exterior walls, windows, exterior doors, decking, floors and under-floor protection shall	to	o issuance of bulding permit								NG	No.
66	be installed to meet CBC Chapter 7A requirements. This requirement shall be met at		· .	Х	Х	Х	X	Х	Х	Х	NC	NC
	the building permit phase of each residence.											
		Authority C	Confirm and document prior									
	must be available for a single-family dwelling with up to 3,600 sq. ft. of interior space;		o issuance of bulding permit									
67	1,300 gpm for a single-family dwelling with up to 4,800 sq. ft.; and 1,500 gpm for a			х	x	Х	х	x	х	Х	NC	NC
	single-family dwelling with up to 6,200 sq. ft. as specified by the 2007 CFC.											
	!											