



BMP Inspection - Weekly

Date: 2022-01-12

Time: 09:49

Date Rain Predicted to Occur: 2022-01-14 Predicted % Chance of Rain: 7

Total Rainfall:

		WDID Number: 2 41C380307			
Site Name: Hig	phlands Builder:	Nexgen Bu	uilders City:	San Mateo Zip Co	ode: 94401
Job Site Contact:	Bob Pellegrine	Company:	Cervelliere Limite	Job Site Phone:	650-445-0914
Rain Gauge				Site Information	n
Rain gauge reading and loo	cation (in)			Construction stage and	completed activities
0.00				Landscap	ing / Streets
				Approximate area of sit	e that is exposed
				Exemption Doc	umentation
				(explanation required if inspections are r	
				business hours or durin	
				conditions such as floo	•

Observations

An unchecked box verifies that BMPs are adequately designed, implemented, and effective. A checked box notes a deficiency and action required.

Good Housekeeping for Construction Materials

- Inventory of products (excluding materials designed to be outdoors)
- Stockpiled construction materials not actively in use are covered and bermed
- All chemicals are stored in watertight containers with appropriate secondary containment, or in a completely enclosed storage shed
- Construction materials are minimally exposed to precipitation
- BMPs preventing the off-site tracking of materials are implemented and properly effective

Good Housekeeping for Waste Management

- Wash/rinse water and materials are prevented from being disposed into the storm drain system
- Portable toilets are contained to prevent discharges of waste
- O Sanitation facilities are clean and with no apparent leaks or spills
- Equipment is in place to cover waste disposal containers at the end of business day and during rain events
- Discharges from waste disposal containers are prevented from discharging to the storm drain system / receiving water
- Stockpiled waste material is securely protected from wind and rain if not actively in use
- Procedures are in place for addressing hazardous and non-hazardous spills
- Appropriate spill response in place
- O Equipment and materials for cleanup of spills is available onsite
- Washout areas (e.g., concrete) are contained appropriately to prevent discharge or infiltration into the underlying soil

Good Housekeeping for Vehicle Storage and Maintenance

- $\hfill \Box$ Measures are in place to prevent oil, grease, or fuel from leaking into the ground, storm drains, or mixing with surface waters
- All equipment or vehicles are fueled, maintained, and stored in a designated area with appropriate BMPs
- Vehicle and equipment leaks are cleaned immediately and disposed of properly

Good Housekeeping for Landscape Materials

- Stockpiled landscape materials such as mulches and topsoil are contained and covered when not actively in use
- Erodible landscape material has not been applied 2 days before a forecasted rain event or during an event
- Erodible landscape materials are applied at quantities and rates in accordance with manufacturer recommendations
- O Bagged erodible landscape materials are stored on pallets and covered

Good Housekeeping for Air Deposition of Site Materials

Good housekeeping measures are implemented onsite to control the air deposition of site materials and from site operations

Non-Stormwater Management

Non-Stormwater discharges are properly controlled

Gas Generator need to be placed in secondary containment



- Vehicles are washed in a manner to prevent non-stormwater discharges to surface waters or drainage systems
- Streets are cleaned in a manner to prevent unauthorized nonstormwater discharges to surface waters or drainage systems.

Erosion Controls

- Wind erosion controls are effectively implemented
- Effective soil cover is provided for disturbed areas inactive (i.e., not scheduled to be disturbed for 14 days) as well as finished slopes, open space, utility backfill, and completed lots
- The use of plastic materials is limited in cases when a more sustainable, environmentally friendly alternative exists.

Sediment Controls

- Perimeter controls are established and effective at controlling erosion and sediment discharges from the site
- Entrances and exits are stabilized to control erosion and sediment discharges from the site
- Sediment basins are properly maintained
- Linear sediment control along toe of slope, face of slope and at grade breaks

	Limit construction activity to and from site to entrances and exits that employ effective controls to prevent offsite tracking			
	Ensure all storm, drain inlets and perimeter controls, runoff control BMPs and pollutants controls at entrances and exits are maintained and protected from activities that reduce their effectiveness			
	O Inspect all immediate access roads daily			
Run-On and Run-Off Controls	Run-on to the site is effectively managed and directed away from all disturbed areas.			
Other	Are the project SWPPP and BMP plan up to date, available on-site and being properly implemented?			

Deficiencies Noted

Deficiency	Action	Notes
Non-Stormwater discharges are properly controlled	Containment	Gas Generator need to be placed in secondary containment

Cleared Deficiencies

Deficiency	Corrected Within 72 Hours?	Action	Notes
Perimeter controls are established and effective at controlling erosion and sediment discharges from the site	Yes	Repair/ Replace	To the right on Lot 11 the silt fence has broken and needs repairing/replacing.
Inspect all immediate access roads daily	Yes	Sweeping	The street and Lot 9, & 10 needs sweeping

Additional Information

Additional Corrective Actions Required Identify additional corrective actions not included above. Note

if SWPPP change is required.



Photos of Compliance





Signature:

Neil Trenerry