GENERAL CONDITIONS

01. FAMILY ROOM ADDITION OVER EXISTING GARAGE AND RECONFIGURE ENTRY CLOSETS

02. GENERAL CONDITIONS: PERFORM ALL WORK REQ'D BY THE CONTRACT DOCUMENTS FOR THE ALTERATION, RENOVATION, REPAIR & REHABILITATION OF THE DESIGNATED PREMISES, INCLUDING ALL LABOR, MATERIALS, EQUIPMENT, TRANSPORTATION, SCAFFOLDING & OTHER FACILITIES & SERVICES NECESSARY FOR THE PROPER & COMPLETE EXECUTION OF THE WORK. THESE GENERAL CONDITIONS SHALL APPLY TO ALL WORK INDICATED IN THIS DRAWING SET & SHALL EXTEND TO ANY CHANGES OR ADDITIONAL SCOPE DEVELOPED DURING THE COURSE OF THE PROJECT.

03. EXCLUSIONS: CONTRACTOR SHALL MAKE KNOWN TO ARCHITECT & OWNER ANY LIMITATIONS, EXCLUSIONS OR MODIFICATIONS TO THE PROJECT EXPLICITLY IN THE PROJECT ESTIMATE. UNLESS SPECIFICALLY EXCLUDED, THEY WILL BE PRESUMED TO BE INCLUDED IN THE PRICING OF THE PROJECT.

04. COMPLEMENTARY DOCUMENTS: THE ARCHITECT'S DRAWINGS, SPECIFICATIONS & CONSTRUCTION NOTES ARE COMPLEMENTARY, & WHAT IS CALLED FOR BY ONE SHALL BE BINDING AS IF CALLED FOR BY ALL

05. INCONSISTENCIES: WHERE DIFFERENCES BETWEEN DRAWINGS, NOTES & SPECIFICATIONS OCCUR. THE DECISION OF THE ARCHITECT SHALL GOVERN AS TO WHICH TAKES PRECEDENCE. THE ARCHITECT SHALL PROMPTLY RESOLVE ANY SUCH DISCREPANCIES BROUGHT FORWARD BY THE CONTRACTOR.

06. MISSING INFORMATION: THE CONTRACTOR SHALL STUDY THE DRAWINGS, NOTES, SPECIFICATIONS & OTHER INSTRUCTIONS, & NOTIFY THE ARCHITECT OF ANY INCONSISTENCIES OR MISSING INFORMATION REQ'D FOR FABRICATION OR INSTALLATION OF THE WORK. THE CONTRACTOR SHALL REQUEST INSTRUCTIONS FROM THE ARCHITECT BEFORE PROCEEDING W/ THE WORK.

07. DOUBTFUL CONDITIONS / FIELD CONDITIONS: VERIFY ALL (E) CONDITIONS & DIMENSIONS AFFECTING THE WORK ON SITE. NOTIFY THE ARCHITECT OF ANY CONDITIONS THAT ARE FOUND CONTRARY TO THOSE SHOWN ON THE DRAWINGS, OR OF ANY DOUBTFUL CONDITIONS THAT MIGHT AFFECT QUALITY OR INTERFERE W/ THE PROPER COMPLETION OF WORK BEFORE COMMENCING WORK. COMMENCEMENT OF WORK INDICATES ACCEPTANCE OF (E) CONDITIONS.

08. PERMITS AND APPROVALS: OBTAIN ALL REQUIRED PERMITS & PAY FEES FOR PERMITS, LICENSES, INSPECTIONS, FILINGS & APPROVALS REQUIRED BY LOCAL LAWS, ORDINANCES & REGULATIONS NECESSARY FOR COMPLETION OF THE PROJECT. SCHEDULE REQUIRED INSPECTIONS IN A TIMELY MANNER SO AS NOT TO INTERRUPT PROGRESS OF THE WORK.

09. A VALID WORK PERMIT SHALL BE PROMINENTLY DISPLAYED AT THE JOB SITE FOR THE ENTIRE DURATION OF THE WORK.

10. COMPLIANCE WITH CODES: ALL WORK SHALL CONFORM TO THE REQUIREMENTS OF THE COUNTY OF SAN MATEO BUILDING INSPECTION OFFICE, PLANNING OFFICE, FIRE & EMERGENCY SERVICES & LOCAL UTILITY COMPANIES. WHERE REQUIREMENTS OF THESE CODES ARE CONTRADICTORY, THE MORE STRINGENT RULE SHALL APPLY.

11. MEANS AND METHODS: THE CONTRACTOR SHALL SUPERVISE THE WORK USING THE BEST SKILL & ATTENTION. CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR. & SHALL HAVE CONTROL OVER, CONSTRUCTION MEANS. METHODS, TECHNIQUES, SEQUENCES AND PROCEDURES.

12. SAFETY: THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR INITIATING, MAINTAINING & SUPERVISING SAFETY PRECAUTIONS IN CONNECTION W/ THE WORK. HE SHALL GIVE NOTICES & COMPLY W/ ALL APPLICABLE LAWS, ORDINANCES, REGULATIONS & ORDERS OF ANY PUBLIC AUTHORITY BEARING ON INSTALLATION OF WOODWORK, FURNITURE & APPLIANCES, WHETHER PROVIDED INJURY & LOSS. HE SHALL INSURE THAT THE JOB SITE IS MAINTAINED AT ALL TIMES SO AS TO PREVENT INJURY OR DAMAGE TO ALL PERSONS WORKING ON OR VISITING THE PREMISES, & TO THEIR PROPERTY.

13. HAZARDOUS MATERIALS: IN THE EVENT THE CONTRACTOR ENCOUNTERS ASBESTOS OR PRODUCTS CONTAINING ASBESTOS, REMOVE ALL PERSONS FROM THE PROPERTY IMMEDIATELY W/O DISTURBING THESE PRODUCTS & NOTIFY THE OWNER. THE CONTRACTOR SHALL TAKE APPROPRIATE MEASURES TO PROTECT ALL PARTIES FROM POTENTIAL HAZARDS PRODUCED BY REMOVAL OF OR DAMAGE TO LEAD-BASED PAINTS OR OTHER SIM. HAZARDOUS MATERIALS. ON OR ABOUT THE PROPERTY.

14. SCHEDULE: SUBMIT A CONSTRUCTION SCHEDULE TO ARCHITECT & OWNER PRIOR TO COMMENCING WORK. THE SCHEDULE SHALL INDICATE THE CHRONOLOGICAL PHASES OF WORK THROUGH PROJECT COMPLETION. THE SCHEDULE SHALL INDICATE ORDERING LEAD TIME, START & COMPLETION DATES FOR EACH TRADE. CONTRACTOR SHALL BE RESPONSIBLE FOR MEETING THE APPROVED SCHEDULE.

15. SEQUENCE AND COORDINATION: THE CONTRACTOR SHALL COORDINATE THE WORK OF ALL TRADES & SUBCONTRACTORS FOR ALL PORTIONS OF THE WORK UNDER THIS CONTRACT. THE CONTRACTOR SHALL ALSO COOPERATE IN SEQUENCING INSTALLATION OF ITEMS FURNISHED BY THE OWNER.

16. APPROVED MATERIALS: THERE SHALL BE NO SUBSTITUTION OF MATERIALS WHERE A MANUFACTURER IS SPECIFIED. WHERE THE TERM "OR EQUAL" IS USED THE ARCHITECT SHALL DETERMINE THE ACCEPTABILITY OF A SUBSTITUTION REQUESTED BY THE CONTRACTOR. ALL MATERIALS SHALL BE NEW, UNUSED & OF THE HIGHEST QUALITY IN EVERY RESPECT, U.O.N. IN THE DRAWINGS, MANUFACTURED MATERIALS AND EQUIPMENT SHALL BE INSTALLED IN ACCORDANCE WITH MFR'S RECOMMENDATIONS & INSTRUCTIONS.

17. LICENSED TRADESPEOPLE: WORK, INCLUDING PLUMBING, ELECTRICAL & OTHER TRADES, SHALL BE PERFORMED BY CONTRACTORS LICENSED IN THEIR TRADE, WHO SHALL OBTAIN ALL REQUIRED PERMITS, INSPECTIONS & SIGN-OFFS. HVAC SYSTEMS INSTALLERS MUST BE TRAINED AND CERTIFIED IN THE PROPER INSTALLATION OF HVAC SYSTEMS. BY A PROGRAM ACCEPTABLE TO PROFESSIONAL SERVICES & ANY OTHER FEES NECESSARY TO CORRECT THE WORK. THE DBI, PER CAL GREEN 702.1

18. CURRENT DRAWINGS / REVISIONS: MAINTAIN A COMPLETE, CURRENT SET OF CONTRACT DOCUMENTS ON SITE THROUGHOUT CONST. FOR THE USE OF ALL TRADES. UPON RECEIPT OF ISSUED REVISIONS TO THE CONST. DOCS. BY THE ARCHITECT, THE CONTRACTOR SHALL IMMEDIATELY REVISE THE FIELD SET OF CONST. DOCS. & NOTFIY ALL AFFECTED TRADES OF THE REVISIONS.

19. LAYOUT OF WORK: LAYOUT WORK FROM DIMENSIONS & ALIGNMENTS SHOWN ON DRAWINGS & BE RESPONSIBLE FOR ALL MEASUREMENTS IN CONNECTION THEREWITH. THE CONTRACTOR SHALL IMMEDIATELY REPORT ANY DISCREPANCIES BETWEEN DRAWINGS & FIELD CONDITIONS TO THE ARCHITECT. DO NOT SCALE DRAWINGS.

20. QUALITY ASSURANCES:

A) ALL WORK SHALL BE PERFORMED & SUPERVISED BY WORKERS THOROUGHLY FAMILIAR W/ THE MATERIALS & METHODS SPECIFIED. B) WORK SHALL BE INSTALLED PLUMB & LEVEL. SHOULD EX'G ADJ WORK NOT BE

PLUMB & LEVEL, NEW WORK SHALL BE INSTALLED AS NECESSARY TO MEET THE EX'G WORK, W/O APPEARING TO EMPHASIZE THE VARIANCE, SUBJECT TO THE APPROVAL OF THE ARCHITECT.

21. SECURING OF PREMISES: SECURE THE PREMISES & MATERIALS WITHIN THE CONSTRUCTION AREA FOR THE DURATION OF CONSTRUCTION UNTIL OWNER'S FINAL ACCEPTANCE. TAKE ALL NECESSARY PRECAUTIONS AT THE END OF EACH WORK DAY TO INSURE UNAUTHORIZED PERSONS CANNOT ENTER THE JOB SITE.

22. PROTECTION DURING CONSTRUCTION: PROVIDE & MAINTAIN ALL NECESSARY COVERINGS & PROTECTION TO PREVENT DAMAGE, DISCOLORATION OR SOILING OF (E) & NEW CONST., FINISHES & BUILDING ELEMENTS. MAINTAIN PROTECTION UNTIL OWNER'S FINAL ACCEPTANCE. DUCT OPENINGS AND OTHER AIR DISTRIBUTION COMPONENT OPENINGS SHALL BE COVERED DURING ALL PHASES OF CONSTRUCTION, WITH TAPE, PLASTIC, SHEET METAL, OR OTHER ACCEPTABLE METHODS TO REDUCE THE AMOUNT OF WATER, DUST, AND DEBRIS ENTERING THE SYSTEM. UPON OWNER'S ACCEPTANCE, REMOVE ALL PROTECTION AND CLEAN ALL EXPOSED SURFACES. PROTECT HVAC SYSTEMS & COMPONENTS PER W/ SMACNA IAQ GUIDELINES.

23. MEANS OF EGRESS: ALL EX'G MEANS OF EGRESS FOR WORKERS & VISTORS TO SITE SHALL BE MAINTAINED CLEAR & FREE OF OBSTRUCTIONS SUCH AS BUILDING MATERIALS, TOOLS, ETC.

24. DELIVERIES: CONTRACTOR SHALL MAKE ALL REQ'D ARRANGEMENTS FOR DELIVERY & TRANSFER OF EQUIPMENT AND MATERIALS TO THE JOB SITE.

25. CUTTING AND PATCHING: PERFORM ALL CUTTING AND PATCHING REQ'D BY THE INSTALLATION OF NEW FRAMING, PLUMBING FIXTURES & CONNECTIONS, WIRING, ELECTRICAL & TELEPHONE OUTLETS, SWITCHES, HEATING & VENTILATION ELEMENTS TO PROVIDE A FINISHED PROJECT.

A) MATERIALS USED IN CUTTING & PATCHING SHALL BE IDENTICAL TO ORIGINAL MATERIALS U.O.N. IF IDENTICAL MATERIALS ARE NOT AVAILABLE, PROVIDE FINISHED WORK HAVING EQ. OR BETTER PERFORMANCE CRITERIA.

B) USE METHODS LEAST LIKELY TO DAMAGE (E) ELEMENTS OR ADJ. WORK. C) LOCATE UTILITIES PRIOR TO CUTTING. CAP, VALVE, SEAL & PLUG ABANDONED UTILITIES.

D) PATCHING SHALL PROVIDE SOLID, TRUE & ALIGNED SUBSTRATES FOR THE INSTALLATION OF FINISHED MATERIALS.

E) PATCHING SHALL SEAMLESSLY JOIN THE IMMEDIATE EX'G ADJ CONST. IN MATERIALS, FINISH, GLOSS & COLOR. JOINTS SHALL BE DURABLE & INVISIBLE. CREATE TRUE, EVEN PLANES W/UNIFORM CONT. APPEARANCE.

F) REPAINT ENTIRE ASSEMBLIES & SURFACES, NOT ONLY PATCHED AREAS.

26. REMOVALS: MAINTAIN A CLEAN & NEAT WORK SITE AT ALL TIMES. CLEAN-UP & REMOVE FROM THE PREMISES ALL WASTE MATERIALS, RUBBISH, WRAPPINGS, CONTAINERS & SALVAGES GENERATED BY CONST., DEMOLITION & THE DELIVERY & THE SAFETY OF PERSONS AND PROPERTY, & THEIR PROTECTION FROM DAMAGE, UNDER THIS CONTRACT OR NOT. 100% OF MIXED DEBRIS SHALL BE PROCESSED FOR RECYCLING

27. FINAL CLEANUP: ALL SPACES MUST BE LEFT VACUUM-CLEAN & ORDERLY, READY FOR OWNER OCCUPANCY. ALL SURFACES, INCLUDING COUNTERS, CABINET SHELVES & TOPS, MOLDINGS, DOOR & WINDOW HEADS, PLUMBING & LIGHTING FIXTURES, APPLIANCES, HVAC EQUIPMENT & FLOORS SHALL BE THOROUGHLY DUSTED W/ A FREQUENTLY RINSED DAMP CLOTH. AFTER DUSTING ALL SURFACES. FLOORS SHALL BE VACUUMED USING APPROPRIATE ATTACHMENTS. SCRAPE WINDOWS CLEAN W/ RAZOR & WASH.

28. PROJECT CLOSEOUT: UPON COMPLETION OF THE JOB THE CONTRACTOR SHALL SUBMIT ALL CERTIFICATES OF INSPECTION & A CERTIFICATE OF SUBSTANTIAL COMPLETION (AIA DOC. G-704) TO OWNER. UPON OWNER'S ACCEPTANCE, THE CONTRACTOR SHALL PERFORM A FINAL CLEANING.

29. PROJECT COMPLETION: THE PROJECT SHALL BE CONSIDERED COMPLETE WHEN THE WORK ON ARCHITECT'S PUNCH LIST HAS BEEN COMPLETED TO THE SATISFACTION OF THE ARCHITECT AND CLIENTS.

30. WARRANTY & GUARANTEE:

A) THE CONTRACTOR GUARANTEES THAT WORK COMPLETED UNDER THIS CONTRACT IS FREE FROM FAULTY MATERIALS & WORKMANSHIP, INCL. IMPROPER INSTALLATION THIS GUARANTEE SHALL COVER A MINIMUM PERIOD OF ONE YEAR FOLLOWING THE DATE OF ACCEPTANCE OF THE WORK BY OWNER & SHALL BIND THE CONTRACTOR TO REPAIR OR REPLACE, PROMPTLY & EFFICIENTLY, ANY & ALL WORK & MATERIAL FOUND TO BE DEFECTIVE DURING THIS PERIOD, INCLUDING OTHER WORK NOT PERFORMED UNDER THIS CONTRACT, THAT IS DAMAGED BY SUCH DEFICIENCY. B) NEITHER THE FINAL CERTIFICATE NOR THE FINAL PAYMENT, NOR ANY OTHER PROVISION IN THE CONTRACT, SHALL RELIEVE THE CONTRACTOR OF RESPONSIBILITY DESCRIBED IN THIS SECTION.

C) THIS WARRANTY IS IN ADDITION TO MANUFACTURER'S STANDARD WARRANTIES ON SPECIFIC PRODUCTS, MATERIALS & ASSEMBLIES.

D) IN THE EVENT ADDITIONAL PROFESSIONAL SERVICES ARE REQUIRED TO VERIFY & DIRECT REPAIRS OR REPLACEMENT OF WORK AS A DIRECT CONSEQUENCE OF THE FAILURE OF MATERIALS OR WORKMANSHIP GUARANTEED BY THE CONTRACTOR. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PAYMENT OF FEES FOR SUCH

APPLICABLE CODES

2019 CALIFORNIA BUILDING CODE 2019 CALIFORNIA RESIDENTIAL CODE (CRC) 2019 CALIFORNIA ELECTRICAL, MECHANICAL, PLUMBING AND FIRE CODES 2019 CALIFORNIA ENERGY CODE - TITLE 24 NATIONAL ELECTRIC CODE 2019 CALIFORNIA GREEN BUILDING STANDARDS CODE (CGBC) COUNTY OF SAN MATEO ZONING AND CODE AMENDMENTS

ABBREVIATIONS

HEATING

HTG

	AT		
CL PL	CENTERLINE PROPERTY LINE	INCL JB	INCLUDING JUNCTION BOX
# or LB (E)	DIAMETER OR ROUND POUND OR NUMBER EXISTING	LAV LT	LAVATORY LIGHT/LIGHTING
ADJ AFF ALUM APPRD APPROX	NEW TIMES OR BY (AS IN 2X4) ADJACENT ABOVE FINISHED FLOOR ALUMINUM APPROVED APPROXIMATE	MAINT MAT MAX MECH MFR MICRO MIN MISC	MAINTENENCE MATERIAL MAXIMUM MECHANICAL MANUFACTURER MICROWAVE MINIMUM MISCELLANEOUS
ØRCH AVG	ARCHITECTURAL AVERAGE	MTD MTL	MOUNTED METAL
BD BTWN BLDG BLKG BM BOS	BOARD BETWEEN BUILDING BLOCKING BEAM BOTTOM OF STEEL	N NIC NO OR # NOM NTS	NORTH NOT IN CONTRACT NUMBER NOMINAL NOT TO SCALE
BO CAB CEM CH CLG CLKG	BOTTOM OF CABINET CEMENT CEILING HEIGHT CEILING CAULKING	O/ OC OD OPNG OPP OVHD	OVER ON CENTER OUTSIDE DIAMETER (DIM) OPENING OPPOSITE OVERHEAD
CLOS CLR OPG CO COL CONC CONSTR CONT CTR	CLOSET CLEAR CLEAR CLEAR OPENING CASED OPENING COLUMN CONCRETE CONSTRUCTION CONTINUOUS CENTER	PART PLBG PLAS PLYWD PNTRY PT PTD	PARTITION PLUMBING PLASTIC PLYWOOD PANTRY POINT PAINTED
DBL	DOUBLE	QUAL QTY	QUALITY QUANTITY
DEPT DET DIA DIM DISP DN DR	DEPARTMENT DETAIL DIAMETER DIMENSION DISPOSAL DOWN DOOR	R REF, REQ'D RM RO	RISER REFRIGERATOR REQUIRED ROOM ROUGH OPENING
DW DWR DWG	DISHWASHER DRAWER DRAWING	S SCHED SECT	SOUTH SCHEDULE SECTION
EA ELEV ELEC EQ EQPT EX'G EXT	EACH EAST ELEVATION ELECTRICAL EQUAL EQUIPMENT EXISTING EXTERIOR	SHT SIM SPEC SQ ST STL STD STL STOR STRUCT SUSP	SHEET SIMILAR SPECIFICATION SQUARE STAINLESS STEEL STAINED STEEL STORAGE STRUCTURAL SUSPENDED
FA FIN FIN FL	FIRE ALARM FINISH(ED) FINISHED FLOOR	SF SYST S.S.D.	SQUARE FEET SYSTEM SEE STRUCTURALDRAWINGS
FLUOR FO FOC FOF FOS FR FRZ FT FURR	FLOOR FLUORESCENT FACE OF FACE OF CONCRETE FACE OF FINISH FACE OF STUDS FRAME FREEZER FOOT OR FEET FURRING	TEL TEMP THK TR TV TYP	TELEPHONE TEMPERED THICK(NESS) TRASH TELEVISION TYPICAL
₽A GALV GL GWB	GAUGE GALVANIZED GLASS GYPSUM WALL BOARD	UON UL UTIL	UNFINISHED UNLESS OTHERWISE NOTED UNDERWRITERS LABORATORY UTILITY
HB HC	HOSE BIB HANDICAPPED	VERT VIF W	VERTICAL VERIFY IN FIELD WEST
HDWR HT	HARDWARE HEIGHT	W/	WEST

SYMBOLS & GRAPHIC CONVENTIONS SECTION DETAIL AX.X WOOD FRAMING

WOOD BLOCKING (AX.X

PLYWOOD

INTERIOR ELEVATION KEY

PLAN DETAIL

RIGID INSULATION

GYPSUM WALL BOARD LINE ABOVE -----

L_____j

BATT INSULATION

◆ EL. X'-X" ELEVATION / DATUM TAG ROOM NUMBER

SHEET NOTE


DOOR NUMBER WINDOW NUMBER EXISTING CONSTRUCTION TO BE DEMOLISHED **EXISTING** CONSTRUCTION TO REMAIN

LINE BELOW

NEW CONSTRUCTION PROJECT DESCRIPTION

FAMILY ROOM ADDITION OVER EXISTING GARAGE AND RECONFIGURE ENTRY CLOSETS

VICINITY MAP



PROJECT INFORMATION

APN: ZONING: TYPE V-B LOT AREA: LOT COVERAGE ALLOWED: EXISTING LOT COVERAGE: PROPOSED LOT COVERAGE: ALLOWED F.A.R. EXISTING BUILDING AREA: SECOND STORY ADDITION: PROPOSED BUILDING AREA:

037-014-260 R1 S17 DR CD MID COAST DISTRICT UNPROTECTED WOOD FRAME 5000 SQ.FT. 35% (INCL. DECKS) 1750 SQ.FT., 35% 1750 SQ.FT., 35% .(NO CHANGE) 53% (2,650 SQ.FT.) 1950 SQ.FT. (INCL. 450 S.F. GARAGE) 292 SQ.FT. 2,242 SQ.FT.

SHEET INDEX

ARCHITECTURAL

COVER SHEET EXISTING & PROPOSED SITE/ROOF PLANS A1.0 EXISTING / DEMO PLANS PROPOSED FLOOR PLANS A2.0

EXISTING EXTERIOR ELEVATIONS AB3.0 A3.0 PROPOSED EXTERIOR ELEVATIONS A4.0 PROPOSED SECTION

BOUNDARY AND TOPOGRAPHIC SURVEY

MATT & KATIA

CLIENTS:

STEWART 335 14TH STREET

MONTARA, CA 94037

KATKIN **ARCHITECTURE**

P.O. BOX 2115 EL GRANADA CA 94018 415.706.0981

PROJECT:

STEWART RESIDENCE

335 14TH STREET MONTARA, CA 94037



REVISION STATUS:


REV. DATE DESCRIPTION

SCALE: N/A


DATE: 09.10.2020

PHASE: CDRC DESIGN REVIEW

CODES. VICINITY MAP. PROJECT DESCRIPTION, SHEET INDEX



REFERENCE NORTH



1) EXISTING SITE/ROOF PLAN
1/8"=1'-0"

SHEET NOTES:



REFERENCE NORTH

GENERAL NOTES:

1. DO NOT SCALE DRAWINGS

1 NEW GUTTER AND DOWNSPOUT TO DRAIN (N) ROOF VIA (E) LIVING ROOM ROOF TO (E) GUTTERS AND DOWNSPOUTS. REFER TO SURVEY FOR EXISTING LANDSCAPE DRAINAGE

CLIENTS:

MATT & KATIA STEWART


335 14TH STREET MONTARA, CA 94037

KATKIN ARCHITECTURE P.O. BOX 2115 EL GRANADA CA 94018 415.706.0981

PROJECT:

STEWART RESIDENCE

335 14TH STREET MONTARA, CA 94037



REVISION STATUS:


REV. DATE DESCRIPTION

SCALE: 1/8"=1'-0"

DATE: 10.01.2020

PHASE: CDRC DESIGN REVIEW

EXISTING & PROPOSED SITE/ROOF PLANS



CLIENTS:

MATT & KATIA STEWART

335 14TH STREET MONTARA, CA 94037

KATKIN ARCHITECTURE

P.O. BOX 2115 EL GRANADA CA 94018 415.706.0981

PROJECT:

STEWART RESIDENCE

335 14TH STREET MONTARA, CA 94037



REVISION STATUS:

REV. DATE DESCRIPTION

SCALE: 1/4"=1'-0"


DATE: 09.10.2020

EXISTING WALL TO REMAIN

[____] TO BE DEMOLISHED

PHASE: CDRC DESIGN REVIEW

AB2.0 EXISTING / DEMO FLOOR PLANS



CLIENTS:


MATT & KATIA STEWART 335 14TH STREET MONTARA, CA 94037

KATKIN
ARCHITECTURE
P.O. BOX 2115
EL GRANADA CA 94018
415.706.0981

PROJECT:

STEWART RESIDENCE

335 14TH STREET MONTARA, CA 94037



REBECCA
SHAW KATKIN

NO. C-30747

1. 31, 21

OF CALIFORNIA

OF CAL

REVISION STATUS:

REV. DATE DESCRIPTION

SCALE: 1/4"=1'-0"

DATE: 09.10.2020


PHASE: CDRC DESIGN REVIEW

AB3.0 EXISTING EXTERIOR ELEVATIONS


EXISTING EXTERIOR ELEVATION - NORTH


1/4"=1'-0"

1) EXISTING EXTERIOR ELEVATION - EAST



(N) CRICKET





PROPOSED EXTERIOR ELEVATION - NORTH

PROPOSED EXTERIOR ELEVATION - EAST - NO WORK

CLIENTS:

MATT & KATIA **STEWART** 335 14TH STREET MONTARA, CA 94037

KATKIN ARCHITECTURE P.O. BOX 2115 EL GRANADA CA 94018 415.706.0981

PROJECT:

STEWART RESIDENCE 335 14TH STREET

MONTARA, CA 94037

SHAW KATKIN RENEWAL DATE OF CALIFORNIA

REVISION STATUS:


REV. DATE DESCRIPTION

SCALE: 1/4"=1'-0"

DATE: 09.10.2020


PHASE: CDRC DESIGN REVIEW

PROPOSED EXTERIOR **ELEVATIONS**



PROPOSED TRANSVERSE SECTION - NORTH TO SOUTH

1/4"=1'-0"



1 PROPOSED TRANSVERSE SECTION - WEST TO EAST

CLIENTS:

MATT & KATIA STEWART 335 14TH STREET MONTARA, CA 94037

KATKIN
ARCHITECTURE
P.O. BOX 2115
EL GRANADA CA 94018
415.706.0981

PROJECT:

STEWART RESIDENCE

335 14TH STREET
MONTARA, CA 94037



REVISION STATUS:

REV. DATE DESCRIPTION

SCALE: 1/4"=1'-0"

DATE: 09.10.2020

PHASE: CDRC DESIGN REVIEW



