PROJECT DATA

PROPERTY ADDRESS

110 Dolton Avenue (Proposed) San Carlos, CA 94070

ASSESSOR'S PARCEL NUMBER

049-103-330

SCOPE OF WORK

CLEAR AND GRADE THE EXISTING VACANT LOT, BUILD RETAINING WALLS, INSTALL DRAINAGE. BUILD A NEW SINGLE-FAMILY RESIDENCE WITH YARD, DRIVEWAY, AND ACCESS ROAD. INSTALL LANDSCAPING AND IRRIGATION.

PLANNING INFORMATION

ZONING DISTRICT: R-1/S-71/DR

15,450 SQ FT (14,130 SQ FT AFTER EASEMENTS) LOT SIZE:

EASEMENTS: 1,320 SQ FT

NO. OF STORIES: 2-STORY OVER GARAGE

SETBACKS/YARD REQUIREMENTS:

DESCRIPTION	ALLOWABLE	EXISTING	<u>NEW</u>
FRONT SETBACK	20'	N/A	20'
REAR SETBACK	15'	N/A	67'+
SIDE SETBACK	5'	N/A	14'+
BUILDING HEIGHT	30'	N/A	29'-10"
SITE COVERAGE AREA	7725 SQ FT	N/A	2041 SQ FT
SITE COVERAGE %	50%	N/A	13.2%
BLD FLOOR AREA	4100 SQ FT	N/A	3809 SQ FT

BUILDING INFORMATION

OCCUPANCY TYPE: R3 VB CONSTRUCTION TYPE: FIRE SPRINKLERS: REQUIRED

FLOOR AREA:

CATEGORY	DESCRIPTION	EXISTING SQ FT	PROPOSED SQ FT
CONDITIONED	1ST FLOOR	0	226
	2ND FLOOR	0	1813
	3RD FLOOR	0	1321
	SUBTOTAL	0	3360
UNCONDITIONED	GARAGE	0	519
	GARAGE ALLOWANCE	0	-400
	PROTECTED DECKS/ PORCHES	0	210
	EXTERIOR STORAGE	0	120
	SUBTOTAL	0	449
<u>TOTAL</u>	GROSS AREA	0	<u>3809</u>

LANDSCAPING INFORMATION

EXISTING LANDSCAPING: 0 SQ FT 0 SQ FT REHABILITATED: 1,047 SQ FT **NEW LANDSCAPING:** 0 SQ FT **NEW TURF:**

PROJECT DIRECTORY

OWNER

Dolton Estates LLC 1025 Alameda #701 Belmont, CA 94002 Contact: Irene Velasquez E: doltonestates@gmail.com T: 415-999-6189

Construction, Inc. Contact: Travis Lutz 901 Waltermire Street Belmont, CA 94002 E: travis@precision-ec.com

CIVIL ENGINEER

T: 415-743-0527

Precision Engineering and

DESIGNER

SF Modern 751 Laurel Street #940 San Carlos CA 94070 Contact: Bich-Khoi Do E: bk@sfmodern.com

ARBORIST Advanced Tree Care, Inc. Contact: Robert Weatherill 965 E. San Carlos Ave San Carlos, CA 94070 E: rweather@pacbell.net T: 650-839-9539

SURVEYOR

T: 650-281-4832

DMG Engineering, Inc. Contact: Dylan Gonsalves E: dylan@dmgbayarea.com T: 925-787-0463

STRUCTURAL ENGINEER

 $D \stackrel{1}{4-07} B$

REDWOOD SHOHEE

110 Dolton Avenue

Emerald Hills

Bair

Redwood City

(B4)

W-21)

[101]

(82)

Belmont

GEOTECHNICAL ENGINEER **Engineering Geologist**

Geosphere Consultants, Inc. PO Box 795

Pacifica, CA 94044 Contact: Joel Baldwin

E: jbaldwin@geosphereinc.net

T: 650-922-1806

SYMBOLS

DETAIL MARKER

ELEVATION MARKER

INTERIOR ELEVATION MARKER

SECTION MARKER

REVISION MARKER

WINDOW SYMBOL

ELEVATION LINE

VICINITY MAP

DOOR SYMBOL

BREAK LINE

(92)

7330

Filoli Historic

use & Garden

(35)

DRAWING INDEX

ARCHITECTURAL

TITLE SHEET

SITE PLAN - EXISTING

SITE PLAN - PROPOSED

ROOF PLAN

1ST FLOOR: FLOORPLAN

2ND FLOOR: FLOORPLAN

3RD FLOOR: FLOORPLAN

EAST ELEVATION

WEST ELEVATION NORTH ELEVATION

SOUTH ELEVATION A-10

A-11 SECTIONS

LANDSCAPE PLAN

LANDSCAPE PLANTS & NOTES

IRRIGATION PLAN

EXTERIOR LIGHTING - FLOOR 1

A-16 EXTERIOR LIGHTING - FLOOR 2

SURVEY

TOPOGRAPHICAL & BOUNDARY SURVEY

CIVIL ENGINEERING/GRADING/DRAINAGE

TITLE SHEET

NOTES SHEET C-1

GRADING AND UTILITY PLAN

EROSION CONTROL PLAN

BEST MANAGEMENT PRACTICES

TREE PROTECTION PLAN

DETAIL SHEET C-4

DETAIL SHEET

See separate Drainage Report by Precision Engineering and Construction, Inc.

GEOTECHNICAL REPORT

See separate Geotechnical Report by Engineering Geologist Geosphere Consultants, Inc.

ARBORIST REPORT

See separate Arborist Report by Advanced Tree Care, Inc.

CODES

2019 CALIFORNIA BUILDING CODE (CBC)

2019 CALIFORNIA RESIDENTIAL CODE (CRC)

2019 CALIFORNIA ELECTRICAL CODE (CEC)

2019 CALIFORNIA MECHANICAL CODE (CME)

2019 CALIFORNIA PLUMBING CODE (CPC)

2019 CALIFORNIA FIRE CODE (CFC)

2019 CALIFORNIA BUILDING ENERGY EFFICIENCY STANDARDS (CBEES)

2019 CALIFORNIA GREEN BUILDING CODE

APPLICABLE SAN MATEO COUNTY MUNICIPAL CODES

GENERAL NOTES

- 1. ALL CONSTRUCTION SHALL CONFORM TO CURRENT SAN MATEO COUNTY CODES AND ANY OTHER GOVERNING CODES, AMENDMENTS, RULES, REGULATIONS, ORDINANCES, LAWS, ORDERS, APPROVALS, ETC. THAT ARE REQUIRED BY APPLICABLE PUBLIC AUTHORITIES. IN THE EVENT OF CONFLICT THE MOST STRINGENT REQUIREMENTS SHALL APPLY.
- 2. THE GENERAL CONTRACTOR IS RESPONSIBLE FOR CHECKING CONTRACT DOCUMENTS, FIELD CONDITIONS, AND DIMENSIONS FOR ACCURACY AND CONFIRMING THE WORK CAN BE BUILT OR DEMOLISHED AS SHOWN BEFORE PROCEEDING WITH THE WORK. IF THERE ARE ANY QUESTIONS REGARDING THESE OR OTHER COORDINATION QUESTIONS, THE GENERAL CONTRACTOR IS RESPONSIBLE FOR OBTAINING A CLARIFICATION FROM THE DESIGNER BEFORE PROCEEDING WITH THE WORK IN QUESTION OR RELATED WORK.
- 3. ANY ERRORS, OMISSIONS OR CONFLICTS FOUND IN THE VARIOUS PARTS OF THE CONSTRUCTION DOCUMENTS SHALL BE BROUGHT TO THE ATTENTION OF THE DESIGNER BEFORE PROCEEDING WITH THE WORK.
- 4. CONTRACTOR SHALL THOROUGHLY EXAMINE THE PREMISES AND SHALL BASE HIS BID ON THE EXISTING CONDITIONS, NOTWITHSTANDING ANY INFORMATION SHOWN OR NOT SHOWN ON THE DRAWINGS.

GENERAL NOTES (CONT'D)

- CONTRACTOR TO MAINTAIN ALL PROPER WORKMAN'S COMPENSATION AND LIABILITY INSURANCE THROUGHOUT THE DURATION OF PROJECT.
- 6. SUBSTITUTIONS, REVISIONS OR CHANGES MUST HAVE PRIOR APPROVAL OF DESIGNER.
- 7. DURING THE BIDDING AND NEGOTIATION PERIOD THE GENERAL CONTRACTOR AND SUBCONTRACTOR(S) SHALL CONFIRM IN WRITING APPROX. ONSITE DELIVERY DATES FOR ALL CONSTRUCTION MATERIALS AS REQUIRED BY THE CONSTRUCTION DOCUMENTS AND SHALL NOTIFY THE DESIGNER IN WRITING OF ANY POSSIBLE CONSTRUCTION DELAYS
- AFFECTING OCCUPANCY THAT MAY ARISE DUE TO THE AVAILABILITY OF THE SPECIFIED PRODUCT.
- 8. ALL WORK SHALL BE PERFORMED SUCH THAT DAMAGE TO EXISTING LANDSCAPE AND/OR PERSONAL PROPERTY IS PREVENTED OR MINIMIZED.
- 9. CONTRACTOR SHALL TAKE MEASURES TO PROTECT ADJACENT PROPERTIES. USE VISQUEEN, PLYWOOD, ETC. TO MINIMIZE NOISE, DUST, ETC.
- 10. IN THE EVENT THAT FOUNDATION MIGHT AFFECT ADJACENT PROPERTIES. CONTRACTOR SHALL TAKE ALL APPROPRIATE STEPS TO NOTIFY THE PROPERTY OWNER OF THE CONDITION, AND TO ADEQUATELY PROTECT THE ADJACENT STRUCTURE.
- 11. WRITTEN DIMENSIONS REFER TO FACE OF FINISH OR CENTER-LINE UNLESS OTHERWISE NOTED. EXTERIOR WALLS ARE DIMENSIONED TO FACE OF SHEATHING, U.O.N.
- 12. DIMENSIONS ARE TO TOP OF FINISHED FLOOR, SLAB OR DECK IN SECTION OR ELEVATION, UNLESS OTHERWISE NOTED.
- 13. "SIM." OR "SIMILAR" MEANS COMPARABLE CHARACTERISTICS FOR THE ITEM NOTED. VERIFY DIMENSIONS AND ORIENTATION ON PLAN.
- 14. "TYP." OR "TYPICAL" MEANS IDENTICAL FOR ALL SIMILAR CONDITIONS UNLESS NOTED OTHERWISE.
- 15. DIMENSIONS NOTED "CLR" OR "CLEAR" ARE MINIMUM REQUIRED DIMENSIONS AND CLEARANCES MUST BE ACCURATELY MAINTAINED.
- 16. CONTRACTOR TO VERIFY DIMENSIONS AND CONDITIONS IN FIELD. IF CONDITIONS ARE SIGNIFICANTLY DIFFERENT THAN REPRESENTED IN DRAWINGS, VERIFY CONDITIONS WITH DESIGNER.
- 17. ALL MATERIALS & EQUIPMENT TO BE NEW UNLESS OTHERWISE NOTED.
- 18. ALL MATERIALS & EQUIPMENT TO BE INSTALLED PER MANUFACTURER'S INSTRUCTIONS.
- 19. WINDOW AND DOOR SIZES ARE NOMINAL DIMENSIONS. REFER TO MANUFACTURER'S SPECIFICATIONS FOR ACTUAL ROUGH OPENINGS.
- 20. WHERE LOCATIONS OF WINDOWS AND DOORS ARE NOT DIMENSIONED, THEY SHALL BE CENTERED IN THE WALL OR PLACED TWO STUD WIDTHS FROM ADJACENT WALL AS INDICATED ON DRAWINGS, UNLESS OTHERWISE NOTED.
- 21. ALL CHANGES IN FLOOR MATERIAL SHALL OCCUR AT CENTERLINE OF DOOR OR FRAMED OPENING, UNLESS OTHERWISE INDICATED ON THE DRAWINGS.
- 22. SEALANT, CAULKING, FLASHING, ETC. LOCATIONS SHOWN ON DRAWINGS ARE INTENDED TO BE INCLUSIVE. FOLLOW MANUFACTURER'S INSTALLATION RECOMMENDATIONS AND STANDARD INDUSTRY AND BUILDING PRACTICES.
- 23. ALL ATTICS, RAFTER SPACES, SOFFITS, CRAWL SPACES, ETC. TO BE FULLY VENTILATED PER APPLICABLE CODE.
- 24. PROVIDE WOOD BLOCKING FOR ALL TOWEL BARS, ACCESSORIES, ETC.
- 25. MEET ALL CALIFORNIA ENERGY CONSERVATION REQUIREMENTS INCLUDING BUT NOT LIMITED TO:
 - MIN. WALL INSULATION IN FRAMED EXTERIOR WALLS R-13

EXTERIOR WALLS.

A. MIN. ROOF/CEILING INSULATION R-19

MIN. FLOOR INSULATION OVER CRAWL/UNOCCUPIED SPACES R-13

D. ALL INSULATION TO MEET CEC QUALITY STANDARDS


- E. INFILTRATION CONTROL: DOORS AND WINDOWS WEATHER-STRIPPED.
 - 2. EXHAUST SYSTEMS DAMPENED. 3. DOORS AND WINDOWS CEC CERTIFIED AND LABELED.
- 4. ALL JOINTS AND PENETRATIONS CAULKED AND SEALED.
- F. DUCTS CONSTRUCTED AND INSTALLED PER UMC. G. ELECTRICAL OUTLET PLATE GASKETS SHALL BE INSTALLED ON ALL RECEPTACLES, SWITCHES AND ELECTRICAL BASES ON
- 26. SMOKE ALARMS ARE TO BE INSTALLED IN ALL SLEEPING ROOMS. SMOKE ALARMS SHALL BE HARDWIRED TO 110V HOUSE WIRING AND WIRED TOGETHER IN SERIES. MINIMUM ONE ALARM PER STORY. REFER TO PLANS FOR LOCATIONS.
- 27. GENERAL CONTRACTOR IS TO COORDINATE INSTALLATION OF NOT IN CONTRACT ITEMS WITH OTHER TRADES.
- 28. LOCATION/SPECIFICATION OF SAFETY GLAZING (TEMPERED GLASS) ARE SOLE RESPONSIBILITY OF CONTRACTOR. ALL DOORS WITH GLAZING AND ALL GLAZING OF WINDOWS WITHIN 24" OF EDGE OF ANY DOOR SHALL BE TEMPERED GLASS (UBC SECTION 2406)


arlos Sh tle olton 110


1 0 0 4 c


bk@sfmodern.com | 650-281-4832 #940, San Carlos CA 94070


BICH-KHOI DC 751 Laurel Stree























110 DOLTON AVENUE Elevation: West

1 2 8 4 0







Proposed Section

SCALE: 1/8" = 1'-0"

ROOF (UPPER) 147.75'


ROOF (LOWER) 145.08'
3RD - CEILING 143.83'

8'-6"

3RD - FLOOR 135.33'
2ND - CEILING 134.08

9'-6"

2ND - FLOOR 124.58'
1ST - CEILING 123.33'




● STREET LEVEL 100'

Proposed Section

SCALE: 1/8" = 1'-0"

REVISIONS	REMARKS	on 1	ions			
	MM/DD/YY	08/08/20 Version 1	07/26/21 Revisions	//	//	_
	MM,	/80	//0	/	/	/
		1	2	3	4	Ц
SF MODEL		DESIGN CONSTRUCTION MANAGEMENT	DEVELOPMENT		BICH-KHULDO	

110 DOLTON AVENUE Proposed Sections



PLANT LIST

<u>ID</u>	BOTANICAL NAME	COMMON NAME	WATER USE	<u>ET %</u>	LIGHT LEVEL	SUNSET/USDA ZONE	<u>GROWTH</u>	SIZE	<u>QTY</u> (<u>B</u>)	FACTOR	PRODUCT (A)
1	Achillea millefolium (CA native cultivars) 'Salmon Beauty'	Salmon Yarrow	Low	10-30	Sun to part shade, most soils	Sunset: 1-24, A1-3	1-3 feet tall and wide	1 Gallon	10	.2	2
2	Arctostaphylos bakeri 'Louis Edmunds'	Manzanita with pink flowers	Low	10-30	Sun to part shade, well-drained soils	Sunset: 4-9, 14-17	Growth: 5-6 feet tall and wide	15 Gallon	2	.2	.4
3	Frangula californica and cvs. (Rhamnus californica)	Coffeeberry	Low	10-30	Sun or part shade	Sunset 3a-10, 14-24	Growth: 4-8 ft tall and wide	5 Gallon	3	.2	.6
4	Rhaphiolepis indica 'Springtime'	India Hawthorn 'Springtime'	Low	10-30	Sun or partial shade	Sunset Zone: 4-10, 12-24	4-6 ft tall and wide	5 Gallon	12	.2	2.4
5	Ceanothus thyrsiflorus var. griseus ''Yankee Point''	Yankee Point ceanothus	Low	10-30	Cool sun to part shade, well-drained soils	Sunset: 5-9,14-24	Growth: 3 feet tall and 10-12 feet wide	5 Gallon	2	.2	.4
6	Daphne odora 'Marginata' ('Aureo-marginata')	Winter Daphne	Low	10-30	Partial Shade	Sunset Zone: 4-10, 12, 14-24	3-4 feet tall and wide	5 Gallon	2	.2	.4
7	Iris douglasiana	Pacific Coast Iris	Low	10-30	Sun to part shade, good drainage	Sunset: 4-9,14-24	Growth: 0.6 - 2.6 ft tall, 2 - 4 ft wide	1 Gallon	4	.2	.8
8	Arctostaphylos uva-ursi 'Point Reyes'	Pt. Reyes manzanita	Low	10-30	Sun or partial shade	Sunset: 1-9, 14-24, A1-3	12-18 inches tall and 6-8 feet wide	1 Gallon	16	.2	3.2
9	Lagerstroemia spp., hybrids and cvs.	Crape Myrtle	Low	10-30	Sun, good drainage, good air circulation	Sunset: 7-10,12-14,18- 21	Growth: 6-30 feet tall and 6-15 feet wide	24" Box	3	.2	.6
10	Elymus triticoides (Leymus triticoides)	Creeping wild rye	Low	10-30	Sun to part shade, most soils	Sunset: N/A	Growth: 18-51 inches tall. Plant every 2'-3'	1 Gallon	13	.2	2.6
11	Hesperaloe parviflora	Red Yucca	Low	10-30	Sun or partial shade	Sunset: 2B, 3, 7-16, 18-24	Growth: 3-4 ft tall and wide	5 Gallon	6	.2	1.2
12	Quercus Lobata	Valley Oak	Low	10-30	Sun to partial shade	Sunset: 3b-9,11-24	Growth: 50-90 feet tall and wide	60" Box	1	.2	.2
13	Quercus Douglasii	Blue Oak	Low	10-30	Sun to partial shade	Sunset:3-11,14- 24	Growth: 30-60 feet tall and wide	24" Box	1	.2	.2
	TOTALS								75		15

NOTES

- 1) A MINIMUM 3-INCH LAYER OF MULCH SHALL BE APPLIED ON ALL EXPOSED SOIL SURFACES OF PLANTING AREAS EXCEPT TURF AREAS, CREEPING OR ROOTING GROUND COVERS, OR DIRECT SEEDING APPLICATIONS WHERE MULCH IS CONTRAINDICATED.
- 2) TURF SHALL NOT EXCEED 25% OF THE LANDSCAPE AREA IN RESIDENTIAL AREAS.
- 3) NO TURF PERMITTED IN NON-RESIDENTIAL AREAS.
- 4) TURF NOT PERMITTED ON SLOPES GREATER THAN 25%.
- 5) TURF PROHIBITED IN PARKWAYS LESS THAN 10 FEET WIDE.
- 6) AUTOMATIC WEATHER-BASED OR SOIL-MOISTURE BASED IRRIGATION CONTROLLERS SHALL BE INSTALLED ON THE IRRIGATION SYSTEM.
- 7) PRESSURE REGULATORS SHALL BE INSTALLED ON THE IRRIGATION SYSTEM TO ENSURE DYNAMIC PRESSURE OF THE SYSTEM IS WITHIN THE MANUFACTURER'S RECOMMENDED PRESSURE RANGE.
- 8) MANUAL SHUT-OFF VALVES SHALL BE INSTALLED AS CLOSE AS POSSIBLE TO THE POINT OF CONNECTION OF THE WATER SUPPLY.
- 9) AREAS LESS THAN 10-FEET IN WIDTH IN ANY DIRECTION SHALL BE IRRIGATED WITH SUBSURFACE IRRIGATION OR OTHER MEANS THAT PRODUCES NO RUNOFF OR OVERSPRAY.
- 10) FOR NON-RESIDENTIAL PROJECTS WITH LANDSCAPE ARAS OF 1,000 SQ. FT. OR MORE, PRIVATE SUBMETER(S) TO MEASURE LANDSCAPE WATER USE SHALL BE INSTALLED.
- 11) AT THE TIME OF FINAL INSPECTION, THE PERMIT APPLICANT MUST PROVIDE THE OWNER OF THE PROPERTY WITH A CERTIFICATE OF COMPLETION, CERTIFICATE OF INSTALLATION, IRRIGATION SCHEDULE OF LANDSCAPE AND IRRIGATION.
- 12) UNLESS CONTRAINDICATED BY SOILS TEST, COMPOST AT A RATE OF A MINIMUM OF FOUR CUBIC YARDS PER 1,000 SQ. FT. OF PERMEABLE AREA SHALL BE INCORPORATED TO A DEPTH OF SIX INCHES INTO THE SOIL.

AVERAGE WUCOLS FACTOR CALCULATION

REFER TO PLANT LIST FOR (A) AND (B) VALUES


A = Sum of (Plant Factor x Quantity)	15
B = Total Quantity of Plants	75
A/B = Average WUCOLS Factor	0.20
Maximum Average WUCOLS Allowed	0.30


						_
		1	2	3	4	
	MM/DD/YY	08/08/20 Version 1	07/26/21 Revisions	//	//	,
REVISIONS	REMARKS	Version 1	Revisions			

SF MODELO DESIGN CONSTRUCTION MANAGEMENT DEVELOPMENT

BICH-KHOI DO | bk@sfmodern.com |

110 DOLTON AVENUE Landscaping Plants & Notes





T1


TRANSFORMER

8

WALL-MOUNTED LIGHT FIXTURE

BICH-KHOI DO | 751 Laurel Street, #9 AVENUE Floor Plan Lighting 110

15



Exterior Lighting Plan: 2nd Floor, Proposed SCALE: 1/4" = 1'-0"

LEGEND				PRODUCTS		
<u>SYMBOL</u>	NAME / NOTES	<u>SYMBOL</u>	NAME / NOTES	WALL-MOUNTED LIGHT FIXTURE	<u>DOWN-LIGHT,</u> <u>WALL</u>	DC
-60 -	LIGHT SWITCH		DOWN-LIGHT	Tech Lighting Pitch Outdoor Wall Light, 5" in Bronze. 120V LED	VOLT Deck Light (Cast Brass, Antique Bronze Finish), VDL-600-4-BBZ,	VOLT Bra Step Ligh 12 Volt I
<u>~</u> ₩	3-WAY LIGHT SWITCH	⊕	PATHWAY LIGHT	BIONZE. 120V LED	12 Volt LED	12 VOICE
TIMER ()	AUTO-TIMER SWITCH	∯ _{EXT}	EXTERIOR OUTLET			
8	WALL-MOUNTED LIGHT FIXTURE	T1	TRANSFORMER			

DOWN-LIGHT, <u>STEPS</u>

Γ Brass Bunker Louvered Light, VHS-630-4-BBZ, olt LED



<u>PATHWAY</u> <u>LIGHT</u>

VOLT Mushroom Brass Path & Area Light, BDLolt LED



340-BB	3Z, 12 Vo
	5-5

AVENUE 110 DOLTON A Lighting Plan -

Floor

A

16